

Dated : 01.06.2020

To
The Deputy Director (S)
Government of India
Ministry of Environmental, Forest & Climate Change
Eastern Regional Office
A/3, Chandrasekharapur
Bhubaneswar - 751 023.

Kind Attention : Mr. P Suresh Babu

Dear Sir,

Enclose please find herewith the 1st Half-yearly Compliance Reports (October 2019 to March 2020) as directives given by you. We request you a little late should be considered, due to Lockdown period.

Thanking You

Yours Faithfully

✓ 

(Authorised Signatory)

Dated : 01.06.2020

To
The Deputy Director (S)
Government of India
Ministry of Environmental, Forest & Climate Change
Eastern Regional Office
A/3, Chandrasekharapur
Bhubaneswar-751 023.

Kind Attention : Mr. P Suresh Babu

Sir,

We are submitting herewith the 1st Half-Yearly Compliance Report .

Name of the Project : KPC MEDICAL COLLEGE & HOSPITAL, JADAVPUR.

Project Code : 102-153/EPE

Clearance Letter No. 21-308/2006-1A.III

Period of Compliance Report : 1st Half Yearly (October 19 – March 2020)

Specific Conditions:

Sl.No.	Conditions	Compliance Status
1	STP	The Sewerage treatment plant is running regularly and the treated outlet water will be tested after the Lockdown period.
2	Solid waste garbage	The Wet garbage are as usual collected by Kolkata Municipal Corporation and they are taking care of the same.
3	DG Set	We are monitoring the stack gas analysis yearly and found to be within normal.
4	Ambier Air quality noise, etc.	The noise level and Ambient air quality are also monitored yearly & found to be within limit.
5	Solar Energy	We have selected Vikram Solar Ltd for implementation of the solar unit & Vikram Solar agreed for finalization of the project after the Lockdown period.
6	Traffic Congestion	We do not have any Traffic congestion problem with the existing infrastructure.
7	Energy Conservation	We have taken various steps for improving the power factor.
8	Bio-Medical waste	These are collected by authorized agency for safe disposal.
9	Radiation Monitoring	Radiation monitoring are being done from time to time.
10	Domestic & Drinking Water	We are regularly monitoring water quality & the same will be done after Lockdown period.

General Conditions:

Sl.No.	Conditions	Compliance Status
1	Environmental safeguards	We are regularly taking care of the same and fire protection drills are being done on regular basis.
2	Monitoring Report	They are being Furnished from time to time.
3	Scope of Project	There are no remarkable changes as yet, however, the expansion proposal is under consideration.
4	Statutory clearance	We have already furnished the NOC from Fire and Explosive Department valid up to 14.04.2022 & 30.09.2020 in our report dated 25.05.2019. The NOC from Pollution Board for Consent to operate & authorization of Bio-Medical waste are valid upto 30.04.2024

We hope, we are trying our best to maintain within the guidelines directed by you.

Thanking you,

Yours faithfully,

✓ 

(Authorised Signatory)
KPC Medical College & Hospital