

By SPEED POST

Dated : 28.05.2021

To  
The Inspector General of Forest  
Regional Office Kolkata  
1B - 198, Salt Lake City, Sector - III  
Kolkata - 700 106


**Kind Attention: Dr. Tandra Sarkar (Scientist - C)**

Dear Sir,

Enclose please find herewith the 1st Half-yearly Compliance Reports (Soft Copy) (Oct 2020 to March 2021) as directives given by you. We also enclosed quarterly dose report of Ultra - Tech Laboratories Pvt. Ltd. (July - Sep. 2020). We request you a late should be considered, due to Pandemic Situation.

Thanking You

Yours Faithfully



(Authorised Signatory)

**Enclosed: as above**

Dated : 28.05.2021

To  
The Inspector General of Forest  
Regional Office Kolkata  
1B – 198, Salt Lake City, Sector – III  
Kolkata – 700 106

**Kind Attention: Dr. Tandra Sarkar (Scientist – C)**

Sir,

We are submitting herewith the 1st Half-Yearly Compliance Report.

Name of the Project: KPC MEDICAL COLLEGE & HOSPITAL, JADAVPUR.

Project Code : 102-153/EPE

Clearance Letter No. 21-308/2006-1A.III Dated- 26.10.2006

Period of Compliance Report: 1st Half Yearly (Oct 2020 – March 2021)

**Specific Conditions:**

Sl.No.	Conditions	Compliance Status
1	STP	The Sewerage treatment plant is operated round the clock & the treated Sewerage water from the outlet has also been analysed and the parameters are found to be satisfactory. We have sent the analysis report dt:09.12.20 to you vide our letter dt: 16 <sup>th</sup> December, 2020.
2	Solid waste garbage	The solid waste garbage are collected by Kolkata Municipal Corporation for safe disposal.
3	DG Set	The stack gas analysis are found to be within permissible limit.
4	Ambier Air quality noise, etc.	The noise level and Ambient air quality are also monitored yearly & found to be within limit.
5	Solar Energy	The negotiation for the solar power generation are under process – Delay due to Pandemic Situation.
6	Traffic Congestion	We do not have any Traffic congestion problem with the existing infrastructure.
7	Energy Conservation	We have taken various steps for improving the power factor.
8	Bio-Medical waste	Biomedical wastes are being collected by the authorised organisation M/S Medicare Environment Management Pvt Ltd. (Semb Ramky) for safe disposal and extend the validity of service agreement till 30.09.2023.
9	Radiation Monitoring	Radiation monitoring are being done regularly and the Report from July to Sept. 2020 are enclosed for kind information.
10	Domestic & Drinking Water	The Analysis Report for the same sent to you by our letter dt: 16 <sup>th</sup> Dec. 2020.



**General Conditions:**

Sl.No.	Conditions	Compliance Status
1	Environmental safeguards	We are regularly taking care of the same and fire protection drills are being done on regular basis.
2	Monitoring Report	They are also Furnished from time to time.
3	Scope of Project	There are no remarkable changes till date.
4	Statutory clearance	Clearance from West Bengal Fire Services and Explosive Dept. have also been taken and validity upto 14.04.2022 and 30.09.2023 for Fire Services and Explosive Deptt. The NOC from Pollution Board is valid upto 30.04.2024.

We hope, we are trying our best to maintain within the guidelines directed by you.

Thanking you,

Yours faithfully,

*Krishna Das*

(Authorised Signatory)

KPC Medical College & Hospital

# Ultra-Tech Laboratories Pvt. Ltd.

Accredited by

BARC -Bhabha Atomic Research Centre, Govt. of India  
Cloth Market, Kumhari (Bhilai-Raipur N H-6), Dist. Durg (C.G.) 490 042  
TLD MONITORING SERVICE - DOSE REPORT

## Quarterly Dose Report

Institution Number 017366  
Institution Name DEPT. OF RADIOLOGY  
K.P.C. MEDICAL COLLEGE HOSPITAL  
JADAVPUR 1E RAJA S.C. MALLICK ROAD  
KOLKATA (WEST BENGAL)

Service Frequency Quarterly  
Service Period Jul-Sep-2020 ✓  
Date 31-Dec-2020

Pers No	Name	Worn Position C/W	Whole Body Dose (C) / Wrist Dose (W) (mSv)					Skin Dose(C) (mSv)	
			Jan Mar	Apr Jun	Jul Sep	Oct Dec	Total	Service Period	Total

### NORMAL DISPATCH

004	MR. JOSE V.D	C	0.10	0.00	NU		0.10		
0022	SHRI ASHIM KUMAR MOHANTA	C	0.00	0.00	0.00		0.00		
0028	SHRI RADHE SHYAM	C	0.15	0.00	0.00		0.15		
0038	SHRI PARTHA BHATTACHARJEE	C	0.00	0.00	0.00		0.00		
0040	SHRI SANJIB SAMADDER	C	0.00	0.00	0.00		0.00		
0042	SHRI RANEN BHOWMICK	C	0.00	0.00	0.00		0.00		
0045	DR ANANYA BASU	C	0.15	0.00	0.00		0.15		
0050	DR. SWAPAN KUMAR PAUL	C	0.00	0.00	0.00		0.00		
0058	DR JINIA BHATTACHARYA	C	0.15	0.00	NU		0.15		
0059	SHRI SUDIP SAHA	C	0.20	0.00	0.00		0.20		
0060	SHRI SUKAMAL SARKAR	C	0.35	0.00	0.00		0.35		
0065	SHRI AMIT MAHATO	C	0.10	0.00	0.00		0.10		
0073	SHRI KAMLESH MAJUMDAR	C	0.00	0.00	0.00		0.00		
0074	MRS ANJALI HALDER	C	0.00	0.00	0.00		0.00		
0078	SHRI BHATTACHARJEE ARPAN	C	0.00	0.00	0.00		0.00		
0080	DR GHORAI PRABHAT KUMAR	C	0.15	0.00	0.00		0.15		
0084	SHRI IMAN KALYAN MANNA	C	0.00	0.00	0.00		0.00		
0089	SMT SADHANA DUTTA	C	0.25	0.00	NU		0.25		
0090	SHRI SUROJIT ROY	C	0.00	0.00	0.00		0.00		
0091	DR MAHOJIT LODHA	C	0.00	0.00	0.00		0.00		
0097	MS TITAS BHATTACHARJEE	C	0.00	0.00	0.00		0.00		
0098	SHRI JUGANTAR HALDAR	C	0.25	0.00	0.00		0.25		
0099	SHRI ARUN DAS	C	0.20	0.00	0.00		0.20		
0102	MS DOLAN PATRA	C	0.15	0.00	0.00		0.15		
0103	SHRI SAPTARSHI MUKHOPADHAY	C	0.15	0.00	NU		0.15		
0104	SHRI DIPAK ADHIKARY	C	0.00	0.00	0.00		0.00		
0106	SMT KPC SHARMILA BISWAS	C	0.30	0.00	NU		0.30		
0108	DR KANKU TILWA	C	0.00	0.00	0.00		0.00		
0109	MS NABANEETA GHOSH	C	0.00	0.15	0.00		0.15		
0110	SHRI HASANUR MONDAL	C	0.00	0.00	0.00		0.00		



# Ultra-Tech Laboratories Pvt. Ltd.

Accredited by

BARC -Bhabha Atomic Research Centre, Govt. of India  
Cloth Market, Kumhari (Bhilai-Raipur N H-6), Dist. Durg (C.G.) 490 042  
TLD MONITORING SERVICE - DOSE REPORT

## Quarterly Dose Report

Institution Number 017366  
Institution Name DEPT. OF RADIOLOGY  
K.P.C. MEDICAL COLLEGE HOSPITAL  
JADAVPUR 1E RAJA S.C. MALLICK ROAD  
KOLKATA (WEST BENGAL)

Service Frequency Quarterly  
Service Period Jul-Sep-2020  
Date 31-Dec-2020

Pers No	Name	Worn Position C/W	Whole Body Dose (C) / Wrist Dose (W) (mSv)					Skin Dose(C) (mSv)	
			Jan Mar	Apr Jun	Jul Sep	Oct Dec	Total	Service Period	Total
0112	DR RAVINDRA KUMAR YADAV	C	0.00	0.00	0.00		0.00		
113	DR AMAR NARAYAN SHAW	C	0.00	0.00	0.00		0.00		
0114	DR SOUMAVO DAS	C	0.00	0.00	NU		0.00		
0115	SHRI RAJESH MAPUI	C	0.00	NR	NU		0.00		
0116	SHRI SANKHANIL PAUL	C	0.40	NR	NU		0.40		
0117	MS SALMA KHAN	C	0.00	NR	NU		0.00		
0118	SHRI ASHOK KUMAR BHADRA	C	0.15	0.00	0.00		0.15		
0119	SHRI SATYENDU BIKASH SAMANTA	C	0.10	0.00	0.00		0.10		
0120	DR PRAN KRISHNA MAJUMDAR	C	0.00	0.00	0.00		0.00		
0121	SHRI DIBYOJIT MONDAL	C	0.00	0.00	NU		0.00		
0122	SHRI MAINAK MAJUMDER	C	0.35	0.00	NU		0.35		
0123	SHRI ARKAPRAVA BISWAS	C	0.00	0.00	0.00		0.00		
0124	MD AMANUR RASHID	C	0.00	0.00	0.00		0.00		
0125	MS ANUSREE BHATTACHARYA	C	NU	PD	PD				
126	SHRI LIBIN MALAYIL CHACKO	C	0.00	0.00	0.00		0.00		
0127	MS MONIKA RAJAK	C	0.00	0.00	0.00		0.00		
0128	SHRI ABHISHEK BANERJEE	C	0.00	0.00	0.15		0.15		
0129	MS INDRANI MAHATA	C	-	0.00	0.00		0.00		
0130	SHRI SUMAN BHATTACHARJYA	C	-	0.00	0.00		0.00		
0131	SHRI NITYANANDA MANDAL	C	-	0.00	0.00		0.00		
0132	MS EYANARA KHATUN	C	-	0.00	0.00		0.00		
0133	MS SHRUTI GANGULI	C	-	0.00	0.00		0.00		
0134	MS DOLFINA HATI	C	-	0.00	0.00		0.00		

# Ultra-Tech Laboratories Pvt. Ltd.

Accredited by

BARC -Bhabha Atomic Research Centre, Govt. of India  
Cloth Market, Kumhari (Bhilai-Raipur N H-6), Dist. Durg (C.G.) 490 042  
TLD MONITORING SERVICE - DOSE REPORT

## Quarterly Dose Report

Institution Number 017366  
Institution Name DEPT. OF RADIOLOGY  
K.P.C. MEDICAL COLLEGE HOSPITAL  
JADAVPUR 1E RAJA S.C. MALLICK ROAD  
KOLKATA (WEST BENGAL)

Service Frequency Quarterly  
Service Period Jul-Sep-2020  
Date 31-Dec-2020


Pers No	Name	Worn Position C/W	Whole Body Dose (C) / Wrist Dose (W) (mSv)					Skin Dose(C) (mSv)	
			Jan Mar	Apr Jun	Jul Sep	Oct Dec	Total	Service Period	Total

### Note:

1	When more than one Card is used, dose is added	2	Doses reported only for radiation worker registered with NODRS
3	Whole body dose, in general, reflects the photon component recorded by the Chest Badge	4	Wrist dose and skin dose include both photon and beta components recorded by the Wrist Badge and Chest Badge respectively
5	Dose below Recording level is reported as zero	6	Recording levels: Photon ( $> \sim 40$ keV) = 0.1 mSv, photon ( $< 40$ keV) = 0.05 mSv, beta = 1 mSv
7	Investigation levels in a single monitoring period: whole body dose = 10 mSv, skin dose = 250 mSv, Wrist dose = 250 mSv	8	*Indicates dose under investigation by AERB. Such doses are not added in the total dose.
9	Annual effective dose in any calendar year shall not exceed 30 msv	10	Cumulative effective dose limit for the sliding 5 year block (current year + previous four year) is less than 100 mSv.)
11	*** - 'OER - OVER EXPOSURE	12	'PD' Person /Dosimeter Deleted
13	'DD' Dosimeter Damaged	14	'UP' Under Process
15	'NU' Unused Cards	16	'L' Lost Cards
17	'NR' Not Returned	18	'SS' Service Suspended
19	'-' TLD Not Issued		



Dose Report Prepared By  
Sukanto Sarkar  
RSO/Asst. SSO

Dose Report Checked By  
Mr. V.S. Iyer  
SSO/Chief RSO